



Drug and Alcohol Free Campuses

In keeping with the requirements of the US Department of Education's Drug Free Schools and Communities Act (1989), St. Philip's College and the Alamo Colleges District presents the following information to all of its students:

1. St. Philip's College and the Alamo Colleges District standards of conduct regarding the possession, use, and distribution of alcohol and drugs.
2. St. Philip's College and the Alamo Colleges District disciplinary sanctions for students in violation of the standards of conduct.
3. A description of the legal sanctions under local, state, and/or federal law.
4. A description of the health risks associated with drug and alcohol abuse.
5. A description of the drug and alcohol counseling and treatment resources available to St. Philip's College and Alamo Colleges District students.

Special Acknowledgement

The preceding sections provide information, research, and resources regarding alcohol and substance abuse. The format and research were developed and conducted by the Austin Community College District. Relevant district-specific information, web-links, and references to local resources have been modified accordingly to the Alamo Colleges District and its service areas by the staff at Northwest Vista College. Special thanks to the Austin Community College District and Northwest Vista for sharing their guidance and knowledge.

Quick Links

[Alamo Colleges District Alcohol and Drug Code of Conduct](#)

[College Sanctions](#)

[Legal Sanctions under Federal Law](#)

[Legal Sanctions under State Law](#)

[Health Risks of Drug Abuse](#)

[Health Risks of Alcohol Abuse](#)

[Standard Measures of Alcohol](#)

[Snapshot of High-Risk College Drinking Consequences](#)

[Drug and Alcohol Counseling and Treatment Resources](#)



Alamo Colleges District Student Code of Conduct

District, State and Federal Regulations regarding alcohol and drug use can be found in the St. Philip's College online course catalog, under the heading "Drug-Free Schools and Communities Act Amendments of 1989", or click the following link: [District, State and Federal Regulations](#).

St. Philip's College, Alamo Colleges District policy, and state law prohibit the possession of illicit drugs and drug paraphernalia on college premises. District Board Policies F.4.5 (Alcohol and Drug Use) and F.4.2 (Student Code of Conduct) also prohibit the possession, sale, or use of alcoholic beverages on Alamo Colleges District premises.

Alcohol and Drug Use (see [F.4.5](#) and [F.4.5Ex](#)):

State or Federal law shall be strictly enforced at all times on all property controlled by the College District in regard to the possession and consumption of alcoholic beverages, and no student shall possess, use, or be under the influence of (legal intoxication not required) any controlled substance as defined by law unless legally prescribed. Use of alcoholic beverages is permitted at College District sponsored events only as specifically authorized in writing by the Chancellor.

Sanctions

Disciplinary Sanctions under the Student Code of Conduct

The general disciplinary procedures for student violations of the student standards of conduct are outlined in [F.4.2.1 \(Procedure\) Non-Academic Misconduct Disciplinary and Appeal Process](#). In cases of student violations of the Drug and Alcohol Free Campus policy, the Chief Student Affairs Officer or designee will have the authority to issue sanction(s) including, but not limited to, the following:

- Warning
- Administrative Hold
- Educational Enrichment
- Probation
- Suspension
- Expulsion
- Withholding Diploma
- Revocation of Degree
- Organizational Sanctions
- Other Actions including removal from courses and issuing a criminal trespass warning

In addition to these academic sanctions, certain violations of the student standards of conduct may require referral for criminal and legal prosecution. These sanctions are described in the next section.



Legal Sanctions under Federal Law Legal Sanctions under Federal Law for the Unlawful Possession or Distribution of Controlled Substances

PENALTIES UNDER FEDERAL LAW		
OFFENSE	MINIMUM PUNISHMENT	MAXIMUM PUNISHMENT
Manufacture, distribution, or dispensing drugs (including marijuana)	A term of imprisonment up to 5 years and a minimum fine of \$250,000	A term of life imprisonment without release (no eligibility for parole) and a fine not to exceed \$8,000,000 (for an individual) or \$20,000,000 if other than an individual)
Possession of drugs (including marijuana)	A term of imprisonment up to 1 year and a minimum fine of \$1,000	A term of imprisonment up to 20 years and a minimum fine of \$5,000 plus costs of investigation and prosecution

Additionally, federal penalties and sanctions for illegal possession of a controlled substance can include:

- Forfeiture of personal and real property used to possess or to facilitate possession of a controlled substance if that offense is punishable by more than 1-year imprisonment.
- Forfeiture of vehicles, boats, aircraft or any other conveyance used to transport or conceal a controlled substance.
- Civil fine of up to \$10,000.
- Denial of federal benefits such as student loans, grants, contracts, and professional and commercial licenses, up to 1 year for first offense, up to 5 years for second and subsequent offenses.
- Ineligible to receive or purchase a firearm.
- Revocation of certain Federal licenses and benefits, e.g. pilot's licenses, public housing tenancy, etc., are vested within the authorities of individual Federal agencies.

For more information, please visit the United States Drug Enforcement Administration website:

<http://www.justice.gov/dea/druginfo/ftp3.shtml>

Legal Sanctions under State Law for the Unlawful Possession or Distribution of Controlled Substances

Provided is a list of the core legal sanctions imposed by the State of Texas. This list is not intended to be a complete list of offenses and penalties. Instead, it summarizes the severe penalties that flow from drug and alcohol abuse.

PENALTIES UNDER TEXAS LAW		
OFFENSE	MINIMUM PUNISHMENT	MAXIMUM PUNISHMENT
Manufacture or delivery of controlled substances (drugs)	Confinement in the Texas Department of Corrections (TDC) for a term of not more than 10 years or less than 2 years, or confinement in a community correctional facility for not more than 1 year, and a fine not to exceed \$10,000	Confinement in TDC for life or for a term of not more than 99 years or less than 15 years, and a fine not to exceed \$100,000
Possession of controlled substances (drugs)	Confinement in jail for a term of not more than 180 days, and a fine not to exceed \$1,000	Confinement in TDC for life or for a term of not more than 99 years or less than 10 years, and a fine not to exceed \$100,000
Delivery of	Confinement in jail for a term of not more than	Confinement in TDC for life or for a term of

Table continued on next page



PENALTIES UNDER TEXAS LAW		
OFFENSE	MINIMUM PUNISHMENT	MAXIMUM PUNISHMENT
Marijuana	180 days, and a fine not to exceed \$2,000 or both	not more than 99 years or less than 10 years, and a fine not to exceed \$100,000
Possession of marijuana	Confinement in jail for a term not to exceed 180 days, and a fine not to exceed \$2,000 or both	Confinement in TDC for life or for a term of not more than 99 years or less than 5 years, and a fine not to exceed \$50,000
Driving Under the Influence of Alcohol	FIRST OFFENSE: Maximum fine of \$500; 20 to 40 hours community service related to education about or prevention of misuse of alcohol; 60 or 120 day suspension of driver's license. SECOND OFFENSE: Maximum fine of \$500. 40 to 60 hours community service related to education about or prevention of misuse of alcohol; 120 or 240 day suspension of driver's license.	THIRD OFFENSE: Fine not less than \$500 or more than \$2,000; confinement in jail for term not to exceed 180 days or both the fine and the confinement; 180-day or 1 year suspension of driver's license. An offense under this section is not a lesser included offense under Section 49.04, Penal Code. (DWI).
Purchase of alcohol by a minor	Fine of not less than \$25.00 nor more than \$500	Varies with age and number of offenses
Consumption of alcohol by a minor	Fine of not less than \$25.00 nor more than \$500.00	Varies with number of offenses
Possession of alcohol by a minor	FIRST OFFENSE: Maximum fine of \$500; 8 to 12 hours of community service; 30-day suspension of driver's license. SECOND OFFENSE: Maximum fine of \$500; 40 to 60 hours of community service; 60-day suspension of driver's license.	THIRD OFFENSE: Fine not less than \$250 or more than \$2,000; confinement in jail for term not to exceed 180 days or both fine and confinement; 180-day suspension or driver's license.
Furnishing alcohol to a minor	Fine not to exceed \$2,000; confinement in jail for term not to exceed 180 days; or both such fine and confinement.	

Health Risks of Drug Abuse

Medical Consequences of Drug Abuse

From the [National Institute on Drug Abuse](#)

Drug addiction is a brain disease. Although initial drug use might be voluntary, drugs of abuse have been shown to alter gene expression and brain circuitry, which in turn affect human behavior. Once addiction develops, these brain changes interfere with an individual's ability to make voluntary decisions, leading to compulsive drug craving, seeking and use.

The impact of addiction can be far reaching. Cardiovascular disease, stroke, cancer, HIV/AIDS, hepatitis, and lung disease can all be affected by drug abuse. Some of these effects occur when drugs are used at high doses or after prolonged use; however, some may occur after just one use.



HIV, Hepatitis and Other Infectious Diseases

Drug abuse not only weakens the immune system but is also linked to risky behaviors like needle sharing and unsafe sex. The combination greatly increases the likelihood of acquiring HIV-AIDS, hepatitis and many other infectious diseases.

Drugs that can lead to HIV, Hepatitis and other infectious diseases:

Heroin
Cocaine
Steroids
Methamphetamine

Cardiovascular Effects

Researchers have found a connection between the abuse of most drugs and adverse cardiovascular effects, ranging from abnormal heart rate to heart attacks. Injection drug use can also lead to cardiovascular problems such as collapsed veins and bacterial infections of the blood vessels and heart valves.

Drugs that can affect the cardiovascular system:

Cocaine	Heroin	Inhalants
Ketamine	LSD	Marijuana
MDMA	Methamphetamine	Nicotine
PCP	Prescription Stimulants	Steroids

Respiratory Effects

Drug abuse can lead to a variety of respiratory problems. Smoking cigarettes, for example, has been shown to cause bronchitis, emphysema and lung cancer. Marijuana smoke may also cause respiratory problems. The use of some drugs may also cause breathing to slow, block air from entering the lungs or exacerbate asthma symptoms.

Drugs that can affect the respiratory system:

Cocaine	GHB
Heroin	Inhalants
Ketamine	Marijuana
Nicotine	PCP
Prescription Opiates	

Gastrointestinal Effects

Among other adverse effects, many drugs of abuse have been known to cause nausea and vomiting soon after use. Cocaine use can also cause abdominal pain.

Drugs that can affect the gastrointestinal system:

Cocaine	GHB
Heroin	LSD
MDMA	Nicotine
Prescription Opiates	



Musculoskeletal Effects

Steroid use during childhood or adolescence, resulting in artificially high sex hormone levels, can signal the bones to stop growing earlier than they normally would have, leading to short stature. Other drugs may also cause severe muscle cramping and overall muscle weakness.

Drugs that can affect the musculoskeletal system:

Inhalants
MDMA
PCP
Steroids

Kidney Damage

Some drugs may cause kidney damage or failure, either directly or indirectly from dangerous increases in body temperature and muscle breakdown.

Drugs that can cause kidney damage:

Heroin
Inhalants
MDMA
PCP

Liver Damage

Chronic use of some drugs, such as heroin, inhalants and steroids, may lead to significant damage to the liver.

Drugs that can cause liver damage:

Heroin
Inhalants
Steroids

Hormonal Effects

Steroid abuse disrupts the normal production of hormones in the body, causing both reversible and irreversible changes. These changes include infertility and testicle shrinkage in men as well as masculinization in women.

Drugs that can cause hormonal problems:

Steroids

Neurological Effects

All drugs of abuse act in the brain to produce their euphoric effects; however some of them also have severe negative consequences in the brain such as seizures, stroke, and widespread brain damage that can impact all aspects of daily life. Drug use can also cause brain changes that lead to problems with memory, attention and decision-making.

Drugs that can cause neurological problems:

Cocaine	GHB
Inhalants	Marijuana
MDMA	Methamphetamine
Nicotine	Prescription Stimulants
Rohypnol	



Mental Health Effects

Chronic use of some drugs of abuse can cause long-lasting changes in the brain, which may lead to paranoia, depression, aggression, and hallucinations.

Drugs that can cause mental health problems:

	Inhalants
Ketamine	Marijuana
MDMA	Methamphetamine
Prescription Stimulants	

Cancer

Cigarette smoking is the most preventable cause of cancer in the U.S. Smoking cigarettes has been linked to cancer of the mouth, neck, stomach, and lung, among others. Smoking marijuana also exposes the lungs to carcinogens and can cause precancerous changes to the lungs similar to cigarette smoke.

Drugs that may cause cancer:

Marijuana
Nicotine
Steroids

Prenatal Effects

The full extent of the effects of prenatal drug exposure on a child is not known, however studies show that various drugs of abuse may result in premature birth, miscarriage, low birth weight, and a variety of behavioral and cognitive problems.

Drugs that may have adverse prenatal effects:

Cocaine	Heroin
Inhalants	Marijuana
MDMA	Methamphetamine
Nicotine	

Other Health Effects

In addition to the effects various drugs of abuse may have on specific organs of the body, many drugs produce global body changes such as dramatic changes in appetite and increases in body temperature, which may impact a variety of health conditions. Withdrawal from drug use also may lead to numerous adverse health effects, including restlessness, mood swings, fatigue, changes in appetite, muscle and bone pain, insomnia, cold flashes, diarrhea, and vomiting.

Drugs that have global adverse health effects:

Cocaine	Heroin	Inhalants
Marijuana	MDMA	Methamphetamine
Nicotine	Prescription CNS Depressants	Prescription Opiates
Prescription Stimulants	Steroids	

Mortality

Drug-related deaths have more than doubled since the early 1980s. There are more deaths, illness, and disabilities from substance abuse than from any other preventable health condition. Today, one in four deaths is attributable to alcohol, tobacco, and illicit drug use.



Health Risks of Alcohol Abuse

Medical Consequences of Alcohol Abuse

From the [Centers for Disease Control and Prevention](#)

There are approximately 80,374 deaths attributable to excessive alcohol use each year in the United States.¹This makes excessive alcohol use the 3rd leading lifestyle-related cause of death for the nation.²Additionally, excessive alcohol use is responsible for 2.3 million years of potential life lost (YPLL) annually, or an average of about 30 years of potential life lost for each death. In the single year 2005, there were more than 1.6 million – hospitalizations³ and more than 4 million emergency room visits⁴ for alcohol-related conditions.

The Standard Measure of Alcohol

In the United States, a standard drink is any drink that contains 0.6 ounces (13.7 grams or 1.2 tablespoons) of pure alcohol. Generally, this amount of pure alcohol is found in:

- 12-ounces of regular beer or wine cooler.
- 8-ounces of malt liquor.
- 5-ounces of wine.
- 1.5-ounces of 80-proof distilled spirits or liquor (e.g., gin, rum, vodka, whiskey).

Definitions of Patterns of Drinking Alcohol

- Binge drinking
 - For women, 4 or more drinks during a single occasion.
 - For men, 5 or more drinks during a single occasion.
- Heavy drinking
 - For women, more than 1 drink per day on average.
 - For men, more than 2 drinks per day on average.

Excessive drinking includes heavy drinking, binge drinking or both. Most people who binge drink are not alcoholics or alcohol dependent.⁵

According to the Dietary Guidelines for Americans, if you drink alcoholic beverages, do so in moderation, which is defined as no more than 1 drink per day for women and no more than 2 drinks per day for men.⁶ However, there are some persons who should not drink any alcohol, including those who are

- Pregnant or trying to become pregnant.
- Taking prescription or over-the-counter medications that may cause harmful reactions when mixed with alcohol.
- Younger than age 21.
- Recovering from alcoholism or are unable to control the amount they drink.
- Suffering from a medical condition that may be worsened by alcohol.
- Driving, planning to drive, or participating in other activities requiring skill, coordination, and alertness.

Immediate Health Risks

Excessive alcohol use has immediate effects that increase the risk of many harmful health conditions. These immediate effects are most often the result of binge drinking and include the following:



- Unintentional injuries, including traffic injuries, falls, drownings, burns, and unintentional firearm injuries.⁷
- Violence, including intimate partner violence and child maltreatment. About 35% of victims report that offenders are under the influence of alcohol.⁸ Alcohol use is also associated with 2 out of 3 incidents of intimate partner violence.⁸ Studies have also shown that alcohol is a leading factor in child maltreatment and neglect cases, and is the most frequent substance abused among these parents.⁹
- Risky sexual behaviors, including unprotected sex, sex with multiple partners, and increased risk of sexual assault. These behaviors can result in unintended pregnancy or sexually transmitted diseases.^{10, 11}
- Miscarriage and stillbirth among pregnant women, and a combination of physical and mental birth defects among children that last throughout life.^{12, 13}
- Alcohol poisoning, a medical emergency that results from high blood alcohol levels that suppress the central nervous system and can cause loss of consciousness, low blood pressure and body temperature, coma, respiratory depression, or death.¹⁴

Long-Term Health Risks

Over time, excessive alcohol use can lead to the development of chronic diseases, neurological impairments and social problems. These include but are not limited to:

- Neurological problems, including dementia, stroke and neuropathy.^{15, 16}
- Cardiovascular problems, including myocardial infarction, cardiomyopathy, atrial fibrillation and hypertension.¹⁷
- Psychiatric problems, including depression, anxiety, and suicide.¹⁸
- Social problems, including unemployment, lost productivity, and family problems.^{19, 20}
- Cancer of the mouth, throat, esophagus, liver, colon, and breast.²¹ In general, the risk of cancer increases with increasing amounts of alcohol.
- Liver diseases, including-
 - Alcoholic hepatitis.
 - Cirrhosis, which is among the 15 leading causes of all deaths in the United States.²²
 - Among persons with Hepatitis C virus, worsening of liver function and interference with medications used to treat this condition.²³
 - Other gastrointestinal problems, including pancreatitis and gastritis.^{24, 25}

References

1. Centers for Disease Control and Prevention (CDC). *Alcohol-Related Disease Impact (ARDI)*. Atlanta, GA: CDC. Available at <http://www.cdc.gov/alcohol/ardi.htm>. Accessed November 28, 2012.
2. Mokdad AH, Marks JS, Stroup DF, Gerberding JL. [Actual causes of death in the United States, 2000](#). *JAMA* 2004;291(10):1238–1245.
3. Chen CM, Yi H. *Trends in Alcohol-Related Morbidity Among Short-Stay Community Hospital Discharges, United States, 1979–2005*. Bethesda, MD: National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism. NIAAA Surveillance Report #80, 2007.
4. McCaig LF, Burt CW. [National Hospital Ambulatory Medical Care Survey: 2003 emergency department summary \[PDF–875K\]](#). Advance data from vital and health statistics; No 358. Hyattsville, Maryland: National Center for Health Statistics. 2005.
5. Dawson DA, Grant BF, LI T-K. [Quantifying the risks associated with exceeding recommended drinking limits](#). *Alcohol Clin Exp Res* 2005;29:902–908.
6. United States Department of Agriculture and United States Department of Health and Human Services. In: *Dietary Guidelines for Americans*. Chapter 9—Alcoholic Beverages. Washington, DC: US Government



Printing Office; 2005, p. 43–46. Available at

<http://www.health.gov/DIETARYGUIDELINES/dga2005/document/html/chapter9.htm> . Accessed March 28, 2008.

7. Smith GS, Branas CC, Miller TR. [Fatal nontraffic injuries involving alcohol: a metaanalysis](#) . *Ann of Emer Med* 1999;33(6):659–668.
8. Greenfield LA. [Alcohol and Crime: An Analysis of National Data on the Prevalence of Alcohol Involvement in Crime](#). Report prepared for the Assistant Attorney General's National Symposium on Alcohol Abuse and Crime. Washington, DC: U.S. Department of Justice, 1998.
9. The National Center on Addiction and Substance Abuse at Columbia University, 1999. No safe haven: children of substance-abusing parents. Available at http://www.casacolumbia.org/templates/publications_reports.aspx . Accessed April 1, 2010.
10. Naimi TS, Lipscomb LE, Brewer RD, Colley BG. [Binge drinking in the preconception period and the risk of unintended pregnancy: Implications for women and their children](#) . *Pediatrics* 2003;111(5):1136–1141.
11. Wechsler H, Davenport A, Dowdall G, Moeykens B, Castillo S. [Health and behavioral consequences of binge drinking in college](#) . *JAMA* 1994;272(21):1672–1677.
12. Kesmodel U, Wisborg K, Olsen SF, Henriksen TB, Sechler NJ. [Moderate alcohol intake in pregnancy and the risk of spontaneous abortion](#) . *Alcohol & Alcoholism* 2002;37(1):87–92.
13. American Academy of Pediatrics, Committee on Substance Abuse and Committee on Children with Disabilities. 2000. [Fetal alcohol syndrome and alcohol-related neurodevelopmental disorders](#) . *Pediatrics* 2000;106:358–361.
14. Sanap M, Chapman MJ. [Severe ethanol poisoning: a case report and brief review](#) . *Crit Care Resusc* 2003;5(2):106–108.
15. Corrao G, Rubbiati L, Zambon A, Arico S. [Alcohol-attributable and alcohol-preventable mortality in Italy. A balance in 1983 and 1996](#) . *European J of Public Health* 2002;12:214–223.
16. Corrao G, Bagnardi V, Zambon A, La Vecchia C. [A meta-analysis of alcohol consumption and the risk of 15 diseases](#) . *Prev Med* 2004;38:613–619.
17. Rehm J, Gmel G, Sepos CT, Trevisan M. [Alcohol-related morbidity and mortality](#) . *Alcohol Research and Health* 2003;27(1):39–51.
18. Castaneda R, Sussman N, Westreich L, Levy R, O'Malley M. [A review of the effects of moderate alcohol intake on the treatment of anxiety and mood disorders](#) . *J Clin Psychiatry* 1996;57(5):207–212.
19. Booth BM, Feng W. [The impact of drinking and drinking consequences on short-term employment outcomes in at-risk drinkers in six southern states](#) . *J Behavioral Health Services and Research* 2002;29(2):157–166.
20. Leonard KE, Rothbard JC. [Alcohol and the marriage effect](#) . *J Stud Alcohol Suppl* 1999;13:139–146.
21. Baan R, Straif K, Grosse Y, Secretan B, et al. on behalf of the WHO International Agency for Research on Cancer Monograph Working Group. Carcinogenicity of alcoholic beverages. *Lancet Oncol*. 2007;8:292–293.
22. Heron MP. Deaths: Leading causes for 2004. *National vital statistics reports*; vol 56 no 5. Hyattsville, MD: National Center for Health Statistics. 2007. Available at http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_05.pdf [PDF–3.16MB]. Accessed March 28, 2008.
23. Schiff ER. [Hepatitis C and alcohol](#) . *Hepatology* 1997;26 (Suppl 1): 39S–42S.
24. Leshner SDH, Lee YTM. [Acute pancreatitis in a military hospital](#) . *Military Med* 1989;154(11):559–564.
25. Kelly JP, Kaufman DW, Koff RS, Laszlo A, Wilhelm BE, Shapiro S. [Alcohol consumption and the risk of major upper gastrointestinal bleeding](#) . *Am J Gastroenterol* 1995;90(7):1058–1064.



Snapshot of Annual High-Risk College Drinking Consequences

A Snapshot of Annual High-Risk College Drinking Consequences

From the [National Institute on Alcohol Abuse and Alcoholism](#)

The consequences of excessive and underage drinking affect virtually all college campuses, college communities, and college students, whether they choose to drink or not.

- **Death:** 1,825 college students between the ages of 18 and 24 die from alcohol-related unintentional injuries, including motor vehicle crashes ([Hingson et al., 2009](#)).
- **Injury:** 599,000 students between the ages of 18 and 24 are unintentionally injured under the influence of alcohol ([Hingson et al., 2009](#)).
- **Assault:** 696,000 students between the ages of 18 and 24 are assaulted by another student who has been drinking ([Hingson et al., 2009](#)).
- **Sexual Abuse:** 97,000 students between the ages of 18 and 24 are victims of alcohol-related sexual assault or date rape ([Hingson et al., 2009](#)).
- **Unsafe Sex:** 400,000 students between the ages of 18 and 24 had unprotected sex and more than 100,000 students between the ages of 18 and 24 report having been too intoxicated to know if they consented to having sex ([Hingson et al., 2002](#)).
- **Academic Problems:** About 25 percent of college students report academic consequences of their drinking including missing class, falling behind, doing poorly on exams or papers, and receiving lower grades overall ([Engs et al., 1996](#); [Presley et al., 1996a, 1996b](#); [Wechsler et al., 2002](#)).
- **Health Problems/Suicide Attempts:** More than 150,000 students develop an alcohol-related health problem ([Hingson et al., 2002](#)), and between 1.2 and 1.5 percent of students indicate that they tried to commit suicide within the past year due to drinking or drug use ([Presley et al., 1998](#)).
- **Drunk Driving:** 3,360,000 students between the ages of 18 and 24 drive under the influence of alcohol ([Hingson et al., 2009](#)).
- **Vandalism:** About 11 percent of college student drinkers report that they have damaged property while under the influence of alcohol ([Wechsler et al., 2002](#)).
- **Property Damage:** More than 25 percent of administrators from schools with relatively low drinking levels and over 50 percent from schools with high drinking levels say their campuses have a "moderate" or "major" problem with alcohol-related property damage ([Wechsler et al., 1995](#)).
- **Police Involvement:** About 5 percent of 4-year college students are involved with the police or campus security as a result of their drinking ([Wechsler et al., 2002](#)), and 110,000 students between the ages of 18 and 24 are arrested for an alcohol-related violation such as public drunkenness or driving under the influence ([Hingson et al., 2002](#)).
- **Alcohol Abuse and Dependence:** 31 percent of college students met criteria for a diagnosis of alcohol abuse and 6 percent for a diagnosis of alcohol dependence in the past 12 months, according to questionnaire-based self-reports about their drinking ([Knight et al., 2002](#)).



Drug and Alcohol Counseling and Treatment Resources

If you are concerned about your drug or alcohol use...

The Alamo Colleges have staff counselors who can help you find the appropriate counseling and treatment resources if needed. All counseling services at Alamo Colleges are **confidential**. For more information about these and other counseling services, contact one of the campus counseling centers:

Campus Counseling Centers	
Campus	Phone Number
Northeast Lakeview College	(210)486-5487
Northwest Vista College	(210)486-4342
Palo Alto College	(210)486-3750
St. Philip's College	(210)486-2333
San Antonio College	(210)486-1620

The following is a list of organizations, agencies and centers in the San Antonio area that provide referrals, counseling, or treatment for alcohol and/or drug dependence and/or abuse. Students can contact these agencies directly for more information or meet with an Alamo Colleges counselor to discuss which resources are best suited for their needs. More information about these agencies can also be found on the [United Way of San Antonio and Bexar County resource database](#).

Support Groups

[Alcoholics Anonymous - Central Service Office of San Antonio](#)

(210)821-6325

[Esperanza Area Narcotics Anonymous](#)

(210)434-0665 or (800)221-9091

[South Central Texas Area Cocaine Anonymous](#)

(210)232-6382



Treatment Resources

[Alpha Home](#)

Outpatient services and residential rehab for women ONLY.
419 E. Magnolia St.
San Antonio, TX 78212
210-735-3822

Joint Base San Antonio Substance Abuse Program
4178 Petroleum Dr., Bldg. 3528R
San Antonio, TX
210-808-2534 or 210-808-2584
210-539-9589 or 210-539-9567

[Lifetime Recovery](#)

96 Crossroads Blvd.
San Antonio, TX 78201
Phone: (210) 734-6362, ext 8102

[Rise Recovery: Palmer Drug Abuse Program](#)

Various locations
Counseling, group meetings, chemical-free activities and retreats.
210-227-2634

[The Center for Health Care Services Substance Abuse Treatment Services](#)

Detox, opioid treatment, public sobering unit, intensive outpatient programs.
210-246-1300

Websites

[Bexar County Substance Abuse Resources Directory](#)

<http://bexarlist.com>

[The San Antonio Council on Alcohol and Drug Abuse](#)

<http://sacada.org>

[National Institute on Drug Abuse](#)

<http://www.drugabuse.gov>

Note Regarding Off-Site Links:

Links to non-Alamo Colleges District organizations are provided solely as a service to our users. These links do not constitute an endorsement of these organizations or their programs by the Alamo Colleges District, and none should be inferred. The Alamo Colleges District is not responsible for the content found at these links.

Special Acknowledgement

The preceding sections provide information, research, and resources regarding alcohol and substance abuse. The format and research were developed and conducted by the Austin Community College District. Relevant district-specific information, web-links, and references to local resources have been modified accordingly to the Alamo Colleges District and its service areas by the staff at Northwest Vista College. Special thanks to the Austin Community College District and Northwest Vista for sharing their guidance and knowledge.